



General Certificate of Secondary Education

Biology 4411

BLY3H Unit Biology 3

Mark Scheme

2009 examination – January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2009. AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
1(a)(i)	19 800	for correct answer ignore working or lack of working 165 × 120 but no answer / wrong answer = 1 mark (<u>ignore extras</u>)	2
1(a)(ii)	any two from: <ul style="list-style-type: none"> • for respiration • energy released • prevents anaerobic respiration • prevents build-up of lactic acid 	ignore oxygen debt allow energy produced	2
1(b)	any two from: <ul style="list-style-type: none"> • increased breathing rate • increased depth of breathing or deep breathing • dilation of arteries / vasodilation • blood diverted from elsewhere 	} more breathing is max 1 mark ignore increase in heart rate allow heavier breathing do not allow harder breathing allow blood vessels dilate do not allow veins / capillaries dilate ignore name of organ	2
Total			6

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
2(a)	transpiration / evaporation / diffusion	ignore osmosis	1
2(b)(i)	D		1
2(b)(ii)	any two from: <ul style="list-style-type: none">• <u>more</u> / <u>faster</u> diffusion or evaporation or transpiration• molecules move faster• maintains concentration gradient or keeps water concentration low in the air or brings in more dry air or removes damp air / water		2
Total			4

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
3(a)	prevents denaturation / change / damage of proteins / enzymes or prevents bacteria being killed / destroyed	allow protein is 'destroyed' do not allow 'bacteria denatured' or 'protein killed'	1
3(b)(i)	any two from: <ul style="list-style-type: none"> • anaerobic respiration • lactic (production) • acid (produced) 	do not allow 'bacteria are acidic' allow max 1 mark if incorrect named acid	2
3(b)(ii)	any one from: <ul style="list-style-type: none"> • thickens / clots / solidifies (milk) • kills other microorganisms or prevents other microbes growing • preserves yoghurt or prevents yoghurt going off or makes yoghurt last longer or keeps it fresh • reference to (improved) flavour 	allow reference to germs	1
3(c)	reduce / prevent growth / reproduction of microorganisms or to prevent decay or to preserve it or to keep it fresh or to prevent it becoming <u>too</u> sour	allow reference to germs ignore curdling	1
Total			5

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
4(a)	any two from: <ul style="list-style-type: none"> • sterilise / kill microorganisms • method of sterilisation eg apparatus / media sterilised in oven / autoclave • pass flask mouth / pipette tip / loop / test tube mouth through flame • work near a flame • minimise opening of flask / test tube or hold non-vertical 	ignore 'cleaning' / 'disinfect' ignore 'germs' allow pressure cooker / boiling water allow idea of sealing / covering or prevent entry of air	2
4(b)	any two from: <ul style="list-style-type: none"> • temperature • concentration / amount of nutrients / ions • type of nutrient • volume / amount of solution • amount of bacteria added • agitation or amount of oxygen 	ignore references to time / type of bacterium	2
4(c)(i)	7.5	accept in range 7.4 – 7.6	1
4(c)(ii)	use more pH values around / close to pH 7.5 / between 7 and 8		1
Total			6

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
5(a)(i)	glucose and galactose		1
5(a)(ii)	any three from: Evidence: <ul style="list-style-type: none"> • absorption reduced by cyanide • absorb faster (than other sugars) Explanation: <ul style="list-style-type: none"> • active transport needs <u>energy</u> • less / no <u>energy</u> available / released if cyanide is there or less / no <u>energy</u> if no / less respiration 	allow converse allow <u>energy</u> produced ignore cyanide prevents respiration	3
5(b)	all / the sugars / they can be absorbed <u>when gut poisoned / with cyanide or when no respiration</u> (diffusion) does not need an <u>energy</u> supply		1 1
Total			6

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
6(a)	carbon dioxide and water vapour	either order	1
6(b)	less methane	ignore water	1
	because less anaerobic respiration		1
	more CO ₂		1
	because (more) aerobic respiration		1
Total			5

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
7(a)(i)	A		1
7(a)(ii)	(protein) molecule is large cannot pass through filter	ignore letters (protein is) too big to get through the filter = 2 marks	1 1
7(b)	B is taken back into the blood or B is reabsorbed reabsorbed completely or reabsorbed after filtration		1 1
7(c)	RBC is too big to pass through filter Haemoglobin is inside red blood cells or haemoglobin released when red blood cell bursts Haemoglobin is small enough to pass through filter or haemoglobin diameter < pore diameter		1 1 1
Total			8

COMPONENT NUMBER: BLY3H**COMPONENT NAME: Biology****STATUS: Final****DATE: January 2009**

question	answers	extra information	mark
8	<p>any four from:</p> <p>Points for Ethanol:</p> <ul style="list-style-type: none"> • renewable fuel or carbon neutral or uses plant <u>waste</u> • less CO / hydrocarbons / SO₂ / NO_x emissions • details of what emissions do eg CO is toxic / hydrocarbons cause smog / SO₂ / NO_x causes acid rain <p>Points against Ethanol:</p> <ul style="list-style-type: none"> • releases less energy • so need to burn more • more fuel loss due to evaporation • need to burn fuel to grow and process crop plants • reduces (land use for) food crops / causes deforestation <p>Debatable points:</p> <ul style="list-style-type: none"> • claimed to increase NO_x emissions – but this not <u>observed</u> by air quality monitoring • takes more energy to produce than it releases – but sugar cane yields 8:1 / maize yields 1.34:1 <p>Conclusion:</p> <p>sensible conclusion for or against ethanol substantiated by information from passage</p>	<p>max 3 marks</p> <p>allow petrol is non renewable</p> <p>less <u>named</u> emission</p> <p>max 3 marks</p> <p>must reach conclusion using information from the passage</p>	<p>4</p> <p>1</p>
Total			5